Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(server with (load$3 download$3 down-load$3) with (script) with (transition$3) with (status state))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 13:45
S2	239	("graphical user interface" GUI) with display$3 with (operation process$3) with ("input device")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 13:04
S3	10	("graphical user interface" GUI) with display$3 with (guide help manual instruction) with (operation$3 status transition) with ("input device" (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 13:12
S4	12	("graphical user interface" GUI) with display$3 with (guide help manual instruction) with (operation$3 status transition function$3) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 13:14
S5	2	(("graphical user interface" GUI) with display$3 with (guide help manual instruction) with (operation$3 status transition function$3) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) not (("graphical user interface" GUI) with display$3 with (guide help manual instruction) with (operation$3 status transition) with ("input device" (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 13:14

S6	61	(script) with (status transition state operation) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 13:51
S7	9	((script) with (status transition state operation) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) and (display$3 with (GUI "graphical user interface") with (operation$3 status function$3 guide manual help reference list$3 menu) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 13:57

| S8 | 7 | (((script) with (status transition state operation) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) and (display$3 with (GUI "graphical user interface") with (operation$3 status function$3 guide manual help reference list$3 menu) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))) not ((("graphical user interface" GUI) with display$3 with (guide help manual instruction) with (operation$3 status transition) with ("input device" (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) (("graphical user interface" GUI) with display$3 with (guide help manual instruction) with (operation$3 status transition function$3) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/09/20 14:18 |
| S9 | 12069 | (monitor$3 detect$3) with (operation input) with (notification alert signal alarm) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/09/20 14:21 |

S10	2	((monitor$3 detect$3) with (operation input) with (notification alert signal alarm) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) and (server with (load$3 read$3 download$3 down-load$3 open$3) with (script) with (transition operation) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 14:32
S11	2	((monitor$3 detect$3) with (operation input) with (notification alert signal alarm) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) and (server with (load$3 read$3 download$3 down-load$3 open$3 display$3) with ("GUI" "graphical user interface") with (operation transition process$3 function) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 14:34
S12	4	((monitor$3 detect$3) with (operation input) with (notification alert signal alarm) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) and (server with (load$3 read$3 download$3 down-load$3 open$3 display$3) with ("GUI" "graphical user interface") with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 14:37
S13	2264	(345/157 345/163).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 14:37

S14	3	((345/157 345/163).ccls.) and (display$3 with (operation function direction transition status state process$3) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel) with ("GUI" "graphical user interface"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 14:40
S15	247	((345/157 345/163).ccls.) and (display$3 with (operation function direction transition status state process$3) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 14:27
S16	0	((345/157 345/163).ccls.) and (display$3 with (menu list$3) with (operation function direction transition status state process$3) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel) with (GUI interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 14:43
S17	30	((345/157 345/163).ccls.) and (display$3 with (menu interface list$3) with (operation function direction transition status state process$3) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/20 14:44
S18	10	((345/157 345/163).ccls.) and (display$3 with (menu list$3) with (operation function direction transition status state process$3) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 09:08

S19	2087	(determin$5 decipher$3) with (operation status) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 09:40
S20	218	((determin$5 decipher$3) with (operation status) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) and (display$3 with (list$3 menu guide manual diagram graph$3 image picture) with (operation status) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 09:48
S21	4	((determin$5 decipher$3) with (operation status) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) and (display$3 with (list$3 menu guide manual diagram graph$3 image picture) with (operation status) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel) with (GUI "graphical user interface"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 09:47

S22	24	(((determin$5 decipher$3) with (operation status) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) and (display$3 with (list$3 menu guide manual diagram graph$3 image picture) with (operation status) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))) and (GUI "graphical user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 10:22
S23	61	server with (monitor$3 detect$3 notif$7) with (operation activity) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 10:28
S24	72	server with (monitor$3 detect$3 notif$7) with (operation status transition activity) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 10:29
S25	4	(server with (monitor$3 detect$3 notif$7) with (operation status transition activity) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) and ((server) with (access$3 load$3 open$3) with (file script) with (operation status activity transition) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 10:29

S26	11	(server with (monitor$3 detect$3 notif$7) with (operation status transition activity) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) and ((file script) with (operation status activity transition) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 10:33
S27	2	server with (load$3 open$3 access$3 download$3 down-load$3 consult$3) with (script) with (operation status activity) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 10:35
S28	3	(load$3 open$3 access$3 download$3 down-load$3 consult$3) with (script) with (operation status activity) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 10:37
S29	17	server with (load$3 open$3 monitor$3 access$3 download$3 down-load$3 consult$3) with (file script) with (operation status activity) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 10:38

S30	171	((345/825 345/826 345/783 345/810 345/902).ccls.) and (display$3 with (operation function direction transition status state process$3) with ((input near3 device) (scroll$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/22 15:16
S33	0	(server) with (load$3 download$3) with (script) with (incompat$4) with (application program) with (status transition setting information data info) with (input mouse keyboard key-board)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 08:18
S34	1	(server) with (load$3 download$3) with (information info data) with (application program) with (execut$3 run$4 open$3) with (incompat$4 in-compat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 08:20
S35	8	(server) with (load$3 download$3) with (information info data) with (application program) with (execut$3 run$4 open$3) with (incompat$4 in-compat$4 compat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 09:59
S38	48341	(execut$3 perform$3) with (operation function application command) with (input$4 rotat$3 press$3) with (device dial button)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:53
S39	0	S38 and ((server) with (load$3 download$3 down-load$3 read$3) with (script file) with (state status) with (transition map$4) with (input$4) with (incompatible compatible) with (application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:14
S40	0	"1" and ((server) with (load$3 download$3 down-load$3 read$3) with (state status) with (transition map$4) with (input$4) with (incompatible compatible) with (application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:10
S41	3	"1" and ((server) with (load$3 download$3 down-load$3 read$3) with (state status) with (transition map$4) with (input$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:09

S42	48341	(execut$3 perform$3) with (operation function application command) with (input$4 rotat$3 press$3) with (device dial button)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:12
S43	0	S42 and ((server) with (load$3 download$3 down-load$3 read$3) with (state status) with (transition map$4) with (input$4) with (incompatible compatible) with (application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:10
S44	14	S42 and ((server) with (load$3 download$3 down-load$3 read$3) with (state status) with (transition map$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:11
S45	12	S44 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:11
S46	19	(execut$3 perform$3) with (operation function application command) with (input$4 rotat$3 press$3) with (device dial button) with (read$3 load$3 download$3 download$3 referenc$3) with (state status) with (transition map$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:13
S47	19	S46 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:13
S48	1	server with (load$3 download$3 down-load$3 read$3 run$4 open$3 refer$6) with (script file) with (information data) with (incompatible) with (application)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/28 08:36
S49	16	server with (load$3 download$3 down-load$3 read$3 run$4 open$3 refer$6) with (script file) with (information data) with (incompatible conflict$3 clash$3 contradict$4 compatible) with (application)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/28 08:39

S50	72	server with (load$3 download$3 down-load$3 read$3 run$4 open$3 refer$6) with (information data) with (incompatible conflict$3 clash$3 contradict$4 compatible) with (application)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/28 08:42
S51	1	S50 and ((perform$3 execut$3) with (command function application) with (status state) with (input$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/28 08:40
S52	4	S50 and ((perform$3 execut$3) with (command function application) with (input$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/28 08:42
S53	17	server with (load$3 download$3 down-load$3 read$3 run$4 open$3 refer$6) with (information data file script) with (incompatible conflict$3 clash$3 contradict$4) with (application program routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/28 08:44
S54	3	S53 and ((perform$3 execut$3 run$4 open$3) with (command function application routine program operation) with (input$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/28 08:43
S55	14	S53 not S54	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/28 08:44